



5.0HD-NP-\*\*\*\* \*  
 对应PCB类型分别为A、B、C  
 型号: 0001~9999  
 NP: PIN位数  
 HD: 名称  
 5.0: 间距


PIN 数	DIM		
	A	B	C
2	5.00	10.20	12.30
3	10.00	15.20	17.30
4	15.00	20.20	22.30
5	20.00	25.20	27.30
6	25.00	30.20	32.30
7	30.00	35.20	37.30
8	35.00	40.20	42.30
9	40.00	45.20	47.30
10	45.00	50.20	52.30
11	50.00	55.20	57.30
12	55.00	60.20	62.30



A型基板示意图



B型基板示意图



C型基板示意图

NOTES:  
 1.MATERIALS  
 HOUSING: NYLON,UL94 V-0  
 TERMINAL: BRASS 0.80REF. THICK  
 2.Finish: TIN PLATING OVER NICKEL PLATED

**浙江快利电子有限公司**  
 ZheJiang KuaiLi Electronic Co.,LTD.

GENERAL TOLERANCE	
X.': ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --


DESIGN: 徐民建 DATE: 2023.03.31  
 CHECKED: 王子林 DATE: 2023.03.31  
 APPROVED: 朱建华 DATE: 2023.03.31

DWG. NO.  
 PART NO.  
 5.0HD-NP-\*\*\*\* \*

TITLE.  
 RAST 5 VERT HDR  
 5.0间距NP立式插座

REV.	UNIT.	SCALE.	PAGE.	PROJ.
A	mm	-	1/1	

2PIN:



未堵孔示意图

REV.	ECN NO	DESCRIPTION	REVISED	DATE

序号	快利型号	MOLEX型号	开孔	示意图
◆1	5.0HD-2P-0003	91999-0067 91999-0465(镀银)	1a/1b 2a/2b 1c/2d	
◆2	5.0HD-2P-0006	91999-0090	1b/2b 1c/2d	
◆3	5.0HD-2P-0019	91999-0019 91999-0478(镀银)	1a/2b 2d	
◆4	5.0HD-2P-0071	91999-0077 91999-0454(镀银)	1a/2a/2b 1c/2d	
◆5	5.0HD-2P-0470	91999-0062 91999-0470(镀银)	2a 1c	
◆6	5.0HD-2P-0476	91999-0054 91999-0476(镀银)	2b 1c/2d	
◆7	5.0HD-2P-0495	91999-0018 91999-0076 91999-0495(镀银) 91999-0455(镀银)	2a 1c/2d	
◆8	5.0HD-2P-0498	91999-0081 91999-0074 91999-0068 91999-0066 91999-0004 91999-0450(镀银) 91999-0457(镀银) 91999-0464(镀银) 91999-0466(镀银) 91999-0482(镀银)	1a/2b 1c	

序号	快利型号	MOLEX型号	开孔	示意图
◆9	5.0HD-2P-0499	91999-0003 91999-0061 9199-0089 91999-0499(镀银) 91999-0471(镀银) 91999-0442(镀银)	1b/2a 1c/2d	
◆10	5.0HD-2P-0682	91999-0030 91999-0485(镀银)	2a/2b	
◆11	5.0HD-2P-0029	91999-0029 91999-0486(镀银)	1a/1b 2d	
12	5.0HD-2P-0060	91999-0060 91999-0473(镀银)	1b/2a/2b 2d	
13	5.0HD-2P-0007	91999-0007 91999-0497(镀银)	1b/2b 2c	
14	5.0HD-2P-0058	91999-0058 91999-0472(镀银)	1a/1a 2c	
15	5.0HD-2P-0083	91999-0083 91999-0448(镀银)	1a/1b/2a	
16	5.0HD-2P-0078	91999-0078 91999-0453(镀银)	1b 2d	
17	5.0HD-2P-0064	91999-0064 91999-0468(镀银)	1a/2b 1c/2d	
18	5.0HD-2P-0015		1b/2a 1c	

浙江快利电子有限公司  
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X.: ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --



DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	
5.0HD-NP-**** *	

TITLE.	RAST 5 VERT HDR 5.0间距NP立式插座
--------	--------------------------------

REV.	UNIT.	SCALE.	PAGE.	PROJ.
A	mm	-	1/1	

3PIN:



未堵孔示意图

REV.	ECN NO	DESCRIPTION	REVISED	DATE

序号	快利型号	MOLEX型号	开孔	示意图
◆1	5.0HD-3P-0001		1a/2b 2d	
◆2	5.0HD-3P-0002		2b/3b 1d/2c	
◆3	5.0HD-3P-1221	91999-0545 91999-1221(镀银)	1a/1b 2d	
◆4	5.0HD-3P-1216	91999-0550 91999-1216(镀银)	2b 1d/2c/3d	
◆5	5.0HD-3P-1245		3b 1c/3d	
◆6	5.0HD-3P-0536	91999-0531 91999-1237(镀银)	3b 1c/3d	
◆7	5.0HD-3P-0537	91999-0537 91999-1229(镀银)	1b 1c/2d	
◆8	5.0HD-3P-0538		1d/2c/3d	
◆9	5.0HD-3P-0561		2a/2b	
◆10	5.0HD-3P-0008			

序号	快利型号	MOLEX型号	开孔	示意图

**浙江快利电子有限公司**  
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X': ±2'	X.X: ±0.30
.XX': ±1'	X.XX: ±0.20
.XXX': ±0.5'	X.XXX: --


DESIGN:	徐民建	DATE:	2023.03.31
CHECKED:	王子林	DATE:	2023.03.31
APPROVED:	朱建华	DATE:	2023.03.31

DWG. NO.	
PART NO.	5.0HD-NP-**** *

TITLE:  
RAST 5 VERT HDR  
5.0间距NP立式插座

REV.	A	UNIT.	mm	SCALE.	-	PAGE.	1/1	PROJ.	
------	---	-------	----	--------	---	-------	-----	-------	--

4PIN:



未堵孔示意图

REV.	ECN NO	DESCRIPTION	REVISED	DATE

序号	快利型号	MOLEX型号	开孔	示意图
◆1	5.0HD-4P-0008		2a/2b/3b/4a 2c/3c/4d	
◆2	5.0HD-4P-0009		1a 1c/2d/3c	
◆3	5.0HD-4P-0010		1b/2a/4b 2d/3c/4d	
◆4	5.0HD-4P-1294	91999-1289 91999-1978(镀银)	1b 3c/4d	
◆5	5.0HD-4P-1267 5.0HD-4P-1994	91999-1267 91999-1994(镀银)	1b/2a/3a/4b 1c/4d	
◆6	5.0HD-4P-1268	91999-1268 91999-1953(镀银)	1b 1c/4d	
◆7	5.0HD-4P-1284	91999-1284 91999-1983(镀银)	2a/3a/3b/4b 1c/2d/3c/4d	
◆8	5.0HD-4P-0012		1a/1b/2a/2b/3a/ 4b/1c/4d	
◆9	5.0HD-4P-0011		1b/2a/3b/4b 1c/2d/3c/4d	
◆10	5.0HD-4P-0013		1b/2a/4a/4b 3c/4d	
◆11	5.0HD-4P-0014		1c/2a/2b/3b/4b 1c/4d	

序号	快利型号	MOLEX型号	开孔	示意图

浙江快利电子有限公司  
ZheJiang KuaiLi Electronic Co., LTD.

GENERAL TOLERANCE	
X.: ±3'	X.: --
.X.: ±2'	X.X: ±0.30
.XX.: ±1'	X.XX: ±0.20
.XXX.: ±0.5'	X.XXX: --

DESIGN: 徐民建 DATE: 2023.03.31  
 CHECKED: 王子林 DATE: 2023.03.31  
 APPROVED: 朱建华 DATE: 2023.03.31

DWG. NO.  
 PART NO. 5.0HD-NP-\*\*\*\* \*

TITLE.  
 RAST 5 VERT HDR  
 5.0间距NP立式插座

REV.	UNIT.	SCALE.	PAGE.	PROJ.
A	mm	-	1/1	